


### H cores

#### CORE SETS

##### Effective core parameters

SYMBOL	PARAMETER	VALUE	UNIT
$\Sigma (1/A)$	core factor ( $C_1$ )	0.76	$\text{mm}^{-1}$
$V_e$	effective volume	19803.00	$\text{mm}^3$
$l_e$	effective length	123.00	mm
$A_e$	effective area	161.00	$\text{mm}^2$
$W_t$	mass of core	$\approx 99.5$	g



尺寸	A	B	C
Coat			
Uncoat	$49.0 \pm 0.8$	$31.8 \pm 0.6$	$19.0 \pm 0.5$
Coated	$50.2_{\text{max}}$	$30.8_{\text{min}}$	$20.0_{\text{max}}$

Note: With grass green epoxy coating

#### Characteristic

GRADE	$AL (\text{nH}/\text{N}^2)$	$\mu i$
	$f=10\text{kHz}$ $U=0.25\text{V}$	$f=10\text{kHz}$ $U=0.25\text{V}$
R5K	$8210 \pm 25\%$	$\approx 5000$
R7K	$11000 \pm 25\%$	$\approx 7000$
R10K	$15500 \pm 30\%$	$\approx 10000$
R12K	$\geq 12400$	$\approx 12000$